


Nederbörd

Nederbörd Brunnby 1994-201




	94	95	96	97	98	99	00	01	02	03	04	05	06	07	08	09	X
September	90	72	39	77	47	54	11	78	27	23	64	13	13	50	12	42	44
Augusti	41	13	147	49	62	47	16	89	4	60	48	88	139	31	187	62	68
Juli	7	41	78	46	171	30	182	46	150	37	78	101	21	46	34	125	71
Juni	49	87	50	87	101	48	106	32	128	92	93	61	60	48	32	78	71
Maj	15	51	64	81	52	21	53	65	36	64	39	51	65	34	30	31	48
April	39	0	9	16	26	75	22	15	24	37	26	9	0	17	27	3	23



■ April
 ■ Maj
 ■ Juni
 ■ Juli
 ■ Augusti
 ■ September

Höstvete F-området

2009




Höstvete
 Avkastning försöksvis för brödvetsorter 2009.
 Medeltal av behandlat och obehandlat




Höstvete F-området

5-årsmedeltal




Höstvete F-området 2009

2009 jft med 5-årsmedeltal




Höstråg F-området

2009




Höstråg F-området 2009

5-årsmedeltal




Höstråg F-området 2009

2009 jft med 5-årsmedeltal




Hybridråg

Utsädesmängd 2009




Hybridråg

Utsädesmängd 2009




Rågvete F-området

2009



Rågvete F-området 2009

2009 jft med 5-årsmedeltal



Höstkorn område D-G

5-årsmedeltal

